

Diagnóstico y manejo de las crisis funcionales disociativas: perspectivas profesionales en el sistema de salud de Buenos Aires.

Areco Pico, Maria Marta.

Cita:

Areco Pico, Maria Marta (2025). *Diagnóstico y manejo de las crisis funcionales disociativas: perspectivas profesionales en el sistema de salud de Buenos Aires. XVII Congreso Internacional de Investigación y Práctica Profesional en Psicología. XXXII Jornadas de Investigación XXI Encuentro de Investigadores en Psicología del MERCOSUR. VII Encuentro de Investigación de Terapia Ocupacional. VII Encuentro de Musicoterapia. Facultad de Psicología - Universidad de Buenos Aires, Buenos Aires.*

Dirección estable: <https://www.aacademica.org/000-004/570>

ARK: <https://n2t.net/ark:/13683/eNDN/C9P>

DIAGNÓSTICO Y MANEJO DE LAS CRISIS FUNCIONALES DISOCIATIVAS: PERSPECTIVAS PROFESIONALES EN EL SISTEMA DE SALUD DE BUENOS AIRES

Areco Pico, Maria Marta

Universidad de Buenos Aires. Facultad de Psicología. Buenos Aires, Argentina.

RESUMEN

Las crisis funcionales disociativas (CFD), un subtipo de los trastornos neurológicos funcionales, son alteraciones del sistema nervioso sin causa estructural identificable. A pesar de contar con criterios diagnósticos claros, persiste incertidumbre entre profesionales de la salud sobre su diagnóstico y manejo, especialmente en contextos de bajos y medianos ingresos. Este estudio exploró cómo profesionales de la salud en Buenos Aires abordan las CFD en la práctica clínica. Entre 2020 y 2023, 38 profesionales respondieron una encuesta anónima sobre enfoques diagnósticos, tratamientos y reacciones emocionales frente a pacientes con CFD. Los diagnósticos variaron según la profesión: neurólogos y psiquiatras se inclinaron por CFD, mientras que los psicólogos tendieron a diagnosticar epilepsia con comorbilidades psiquiátricas. El diagnóstico se basó en características de las crisis y síntomas de salud mental. La mayoría señaló dificultades como escasa formación y baja confianza clínica, especialmente entre psicólogos. Tras recibir más información del caso, varios participantes ajustaron su diagnóstico a CFD y priorizaron una mayor exploración del estado mental del paciente. Este estudio aborda temas clave para mejorar la atención de personas con CFD, incluyendo la necesidad de mayor formación profesional, mejor coordinación interdisciplinaria y adecuación de los abordajes terapéuticos.

Palabras clave

Crisis funcionales - Diagnóstico - Perspectivas - Tratamiento

ABSTRACT

DIAGNOSIS AND MANAGEMENT OF FUNCTIONAL DISSOCIATIVE SEIZURES: PROFESSIONAL PERSPECTIVES WITHIN THE BUENOS AIRES HEALTH SYSTEM

Functional Dissociative Seizures (FDS), a subtype of Functional Neurological Disorders, are disruptions in the nervous system without an identifiable structural cause. Despite the existence of clear diagnostic criteria, uncertainty persists among healthcare professionals regarding their diagnosis and management, particularly in low- and middle-income settings. This study explored how healthcare professionals in Buenos Aires approach FDS in clinical practice. Between 2020 and 2023, 38 professionals completed an anonymous survey on diagnostic approaches,

treatments, and emotional responses to patients with FDS. Diagnoses varied by profession: neurologists and psychiatrists tended to diagnose FDS, while psychologists were more likely to diagnose epilepsy with psychiatric comorbidities. Diagnoses were based on seizure characteristics and mental health symptoms. Most respondents reported difficulties such as limited training and low clinical confidence, especially among psychologists. After receiving more case information, several participants revised their diagnoses to FDS and prioritized a more thorough assessment of the patient's mental state. This study highlights key issues to improve care for people with FDS, including the need for greater professional training, better interdisciplinary coordination, and more appropriate therapeutic approaches.

Keywords

Functional dissociative seizures - Diagnosis - Health professionals' perspectives - Treatment

BIBLIOGRAFÍA

- Carter, A., Denton, A., Ladino, L.D., Hassan, I., Sawchuk, T., Snyder, T., et al. Experience of psychogenic nonepileptic seizures in the Canadian league against epilepsy: A survey describing current practices by neurologists and epileptologists. *Seizure* [Internet]. 2018;61(August): 227-33. Available from: <https://doi.org/10.1016/j.seizure.2018.08.025>
- Du Toit, A., Pretorius, C. Diagnostic and treatment practices for psychogenic nonepileptic and epileptic seizures in Namibia. *Epilepsy Behav* [Internet]. 2018;83:92-102. Available from: <https://dx.doi.org/10.1016/j.yebeh.2018.03.005>
- Jordan, H., Feehan S, Perdue I, Murray J, Goldstein LH. Exploring psychiatrists' perspectives of working with patients with dissociative seizures in the UK healthcare system as part of the CODES trial: A qualitative study. *BMJ Open*. 2019;9(5).
- Mayor, R., Smith, P.E., Reuber, M. Management of patients with nonepileptic attack disorder in the United Kingdom: A survey of health care professionals. *Epilepsy Behav*. 2011;21(4):402-6.
- Rawlings, G.H., Reuber, M. Health care practitioners' perceptions of psychogenic nonepileptic seizures: A systematic review of qualitative and quantitative studies. *Epilepsia*. 2018;59(6):1109-23.
- Reuber, M. Dissociative (non-epileptic) seizures: Tackling common challenges after the diagnosis. *Pract Neurol*. 2019;19(4):332-41.

Samuels, T., Pretorius, C. Healthcare providers' perspectives on stigma when working with people with functional seizures. *Seizure* [Internet]. 2023;112(October):121-7. Available from: <https://doi.org/10.1016/j.seizure.2023.10.002>

Taplinger, K., Manning, L., Henninger, H. Psychiatric provider comfort and perception regarding psychogenic nonepileptic seizures. *Epilepsy Behav* [Internet]. 2020;113:107524. Available from: <https://www.sciencedirect.com/science/article/pii/S1525505020307046>