

¿Cómo medir estados emocionales en personas con TEA? estudiando las ventajas de medidas ordinales de estados afectivos.

Canziani, Veronica Paula y Morales, Candela.

Cita:

Canziani, Veronica Paula y Morales, Candela (2020). *¿Cómo medir estados emocionales en personas con TEA? estudiando las ventajas de medidas ordinales de estados afectivos. XII Congreso Internacional de Investigación y Práctica Profesional en Psicología. XXVII Jornadas de Investigación. XVI Encuentro de Investigadores en Psicología del MERCOSUR. II Encuentro de Investigación de Terapia Ocupacional. II Encuentro de Musicoterapia. Facultad de Psicología - Universidad de Buenos Aires, Buenos Aires.*

Dirección estable: <https://www.aacademica.org/000-007/345>

ARK: <https://n2t.net/ark:/13683/etdS/a77>

¿CÓMO MEDIR ESTADOS EMOCIONALES EN PERSONAS CON TEA? ESTUDIANDO LAS VENTAJAS DE MEDIDAS ORDINALES DE ESTADOS AFECTIVOS

Canziani, Veronica Paula; Morales, Candela
Universidad de Buenos Aires. Buenos Aires, Argentina.

RESUMEN

La búsqueda de métodos confiables que permitan medir experiencias afectivas subjetivas es una problemática que ha dado lugar al surgimiento de múltiples modelos de autorreporte de estados afectivos. Se analizará posibles medidas de autorreporte de estados emocionales presentes en la literatura dentro del campo de las ciencias afectivas y cuáles resultarían más apropiadas para el estudio de la experiencia afectiva en sujetos TEA. Ahondar en la confiabilidad de estos modelos para el trabajo con poblaciones TEA es esencial para una mayor comprensión de sus capacidades y dificultades en este campo, especialmente debido a que el estudio de su experiencia afectiva podría verse dificultado por la presencia de condiciones como alexitimia. Se propone una posible comparación entre medidas ordinales y dimensionales de autorreporte a partir de métricas de confiabilidad (e.g. test-retest). Se espera encontrar una mayor confiabilidad por parte de las tareas que empleen modelos ordinales de autorreporte en comparación con modelos dimensionales, teniendo en cuenta distintas ventajas metodológicas que presenta el primero en comparación con el segundo en cuanto a la conceptualización de los estados afectivos. Se estima así mejorar la comprensión de los estados afectivos de personas con TEA a partir de la inclusión de modelos de autorreporte de emociones con mayor confiabilidad y consistencia para esta población.

Palabras clave

Emociones TEA - Autorreporte ordinal - Dimensional

ABSTRACT

HOW TO MEASURE EMOTIONAL STATES IN INDIVIDUALS WITH ASD. STUDYING THE ADVANTAGES OF ORDINAL MEASURES OF AFFECTIVE STATES

The search for reliable methodologies that measure subjective affective experiences is a problematic subject that has lead to the development of multiple models of self report of affective states. The present study analyzes the possible measures of self report of affective states present in the current literature within the field of affective sciences, and which could be more appropriate to study the affective experience of individuals with ASD. Revising the reliability of these methods for their application in subjects with ASD is essential for a deeper comprehension

of their capacities and difficulties in this field, especially due to common comorbidities of this disorder such as alexithymia, which can difficult the study of emotional experience in this population. This study strives to offer a possible comparison between ordinal and dimensional measures of self report, based on reliability metrics such as test-retest. Greater consistency and reliability is expected from ordinal measures of self report when compared against dimensional models, taking into consideration the methodological advantages of the ordinal models concerning the conceptualization of affective states.

Keywords

Emotions ASD - Self-report ordinal - Dimensional

BIBLIOGRAFÍA

- Bagby, R. M., Parker, J. D. A., & Taylor, G. J. (1994a). The twentyitem Toronto Alexithymia Scale-I. Item selection and crossvalidation of the factor structure. *Journal of Psychosomatic Research*, 38, 23-32.
- Bagby, R. M., Taylor, G. J., & Parker, J. D. A. (1994b). The twentyitem Toronto Alexithymia Scale-II. Convergent, discriminant, and concurrent validity. *Journal of Psychosomatic Research*, 38, 33-40.
- Berthoz, S., & Hill, E. L. (2005). The validity of using self-reports to assess emotion regulation abilities in adults with autism spectrum disorder. *European psychiatry*, 20(3), 291-298.
- Bird, G., & Cook, R. (2013). Mixed emotions: the contribution of alexithymia to the emotional symptoms of autism. *Translational psychiatry*, 3(7), e285.
- Bölte, S., Feineis-Matthews, S., & Poustka, F. (2008). Brief report: Emotional processing in high-functioning autism—physiological reactivity and affective report. *Journal of Autism and Developmental Disorders*, 38(4), 776-781.
- Bradley, M. M., & Lang, P. J. (1994). Measuring emotion: the self-assessment manikin and the semantic differential. *Journal of behavior therapy and experimental psychiatry*, 25(1), 49-59.
- Cook, R., Brewer, R., Shah, P., & Bird, G. (2013). Alexithymia, not autism, predicts poor recognition of emotional facial expressions. *Psychological science*, 24(5), 723-732.
- Diener, E., Smith, H., & Fujita, F. (1995). The personality structure of affect. *Journal of personality and social psychology*, 69(1), 130.
- Ekman, P. (1992). An argument for basic emotions. *Cognition & emotion*, 6(3-4), 169-200.

- El Kaliouby, R., Picard, R., & Baron-Cohen, S. (2006). Affective computing and autism. *Annals of the New York Academy of Sciences*, 1093(1), 228-248.
- Erbas, Y., Ceulemans, E., Boonen, J., Noens, I., & Kuppens, P. (2013). Emotion differentiation in autism spectrum disorder. *Research in Autism Spectrum Disorders*, 7(10), 1221-1227.
- Fitzgerald, M., & Bellgrove, M. A. (2006). The overlap between alexithymia and Asperger's syndrome. *Journal of autism and developmental disorders*, 36(4), 573.
- Hill, E., Berthoz, S., & Frith, U. (2004). Brief report: Cognitive processing of own emotions in individuals with autistic spectrum disorder and in their relatives. *Journal of autism and developmental disorders*, 34(2), 229-235.
- Irrazabal, N., Aranguren, M., Zaldua, E., & Di Giuliano, N. (2015). Datos normativos del Sistema Internacional de Imágenes Afetivas (IAPS) en una muestra argentina. *Revista Argentina de Ciencias del Comportamiento (RACC)*, 7(3), 34-50.
- Jack, R. E., Crivelli, C., & Wheatley, T. (2018). Data-driven methods to diversify knowledge of human psychology. *Trends in cognitive sciences*, 22(1), 1-5.
- Jones, C. R., Pickles, A., Falcaro, M., Marsden, A. J., Happé, F., Scott, S. K., ... & Simonoff, E. (2011). A multimodal approach to emotion recognition ability in autism spectrum disorders. *Journal of Child Psychology and Psychiatry*, 52(3), 275-285.
- Keltner, D. (2019). Toward a consensual taxonomy of emotions. *Cognition and Emotion*, 1-6.
- Lang, P. J., & Greenwald, M. K. (1988). The international affective picture system standardization procedure and initial group results for affective judgments. *Center for Research in Psychophysiology, University of Florida: Gainesville, FL*.
- Lang, P. J., Bradley, M. M., & Cuthbert, B. N. (2008). *International affective picture system (IAPS): affective ratings of pictures and instruction manual*. University of Florida, Gainesville. Tech Rep A-8.
- Louwerse, A., Tulen, J. H., van der Geest, J. N., van der Ende, J., Verhulst, F. C., & Greaves-Lord, K. (2014). Autonomic responses to social and nonsocial pictures in adolescents with autism spectrum disorder. *Autism Research*, 7(1), 17-27.
- Mazurek, M. O. (2013). Social media use among adults with autism spectrum disorders. *Computers in Human Behavior*, 29(4), 1709-1714.
- Mathersul, D., McDonald, S., & Rushby, J. A. (2013). Automatic facial responses to affective stimuli in high-functioning adults with autism spectrum disorder. *Physiology & behavior*, 109, 14-22.
- Melhart, D., Sfikas, K., Giannakakis, G., Yannakakis, G. N., & Liapis, A. (2018). A Study on Affect Model Validity: Nominal vs Ordinal Labels. In *Proceedings of the IJCAI workshop on AI and Affective Computing*.
- Metallinou, A., & Narayanan, S. (2013, April). Annotation and processing of continuous emotional attributes: Challenges and opportunities. In *2013 10th IEEE international conference and workshops on automatic face and gesture recognition (FG)* (pp. 1-8). IEEE..
- Picard, R. W. (2000). *Affective computing*. MIT press.
- Peirce, J., Gray, J. R., Simpson, S., MacAskill, M., Höchenberger, R., Sogo, H., ... & Lindeløv, J. K. (2019). PsychoPy2: Experiments in behavior made easy. *Behavior research methods*, 1-9.
- Poria, S., Cambria, E., Bajpai, R., & Hussain, A. (2017). A review of affective computing: From unimodal analysis to multimodal fusion. *Information Fusion*, 37, 98-125.
- Rieffe, C., Terwogt, M. M., & Kotronopoulou, K. (2007). Awareness of single and multiple emotions in high-functioning children with autism. *Journal of autism and developmental disorders*, 37(3), 455-465.
- Russo-Ponsaran, N. M., McKown, C., Johnson, J. K., Allen, A. W., Evans-Smith, B., & Fogg, L. (2015). Social-Emotional Correlates of Early Stage Social Information Processing Skills in Children With and Without Autism Spectrum Disorder. *Autism Research*, 8(5), 486-496.
- Samson, A. C., Huber, O., & Gross, J. J. (2012). Emotion regulation in Asperger's syndrome and high-functioning autism. *Emotion*, 12(4), 659.
- Sasson, N. J., Dichter, G. S., & Bodfish, J. W. (2012). Affective responses by adults with autism are reduced to social images but elevated to images related to circumscribed interests. *PloS one*, 7(8), e42457.
- Scherer, K. R. (2005). What are emotions? And how can they be measured?. *Social science information*, 44(4), 695-729.
- Shalom, D. B., Mostofsky, S. H., Hazlett, R. L., Goldberg, M. C., Landa, R. J., Faran, Y., ... & Hoehn-Saric, R. (2006). Normal physiological emotions but differences in expression of conscious feelings in children with high-functioning autism. *Journal of autism and developmental disorders*, 36(3), 395-400.
- Silani, G., Bird, G., Brindley, R., Singer, T., Frith, C., & Frith, U. (2008). Levels of emotional awareness and autism: an fMRI study. *Social neuroscience*, 3(2), 97-112.
- Tseng, A., Bansal, R., Liu, J., Gerber, A. J., Goh, S., Posner, J., ... & Peterson, B. S. (2014). Using the circumplex model of affect to study valence and arousal ratings of emotional faces by children and adults with autism spectrum disorders. *Journal of autism and developmental disorders*, 44(6), 1332-1346.
- Ward, D. M., Dill-Shackelford, K. E., & Mazurek, M. O. (2018). Social media use and happiness in adults with autism spectrum disorder. *Cyberpsychology, Behavior, and Social Networking*, 21(3), 205-209.
- Yannakakis, G. N., & Martinez, H. P. (2015, September). Grounding truth via ordinal annotation. In *2015 international conference on affective computing and intelligent interaction (ACII)* (pp. 574-580). IEEE.
- Yannakakis, G. N., Cowie, R., & Busso, C. (2017, October). The ordinal nature of emotions. In *2017 Seventh International Conference on Affective Computing and Intelligent Interaction (ACII)* (pp. 248-255). IEEE.