

Calidad de vida de pacientes con trastornos gastrointestinales funcionales de Ciudad de Buenos Aires.

Celleri, Milagros, Ortega, Ivana, Donatti, Sofía, Pérez Vasaro, Daniela Cecilia y Garay, Cristian Javier.

Cita:

Celleri, Milagros, Ortega, Ivana, Donatti, Sofía, Pérez Vasaro, Daniela Cecilia y Garay, Cristian Javier (2020). *Calidad de vida de pacientes con trastornos gastrointestinales funcionales de Ciudad de Buenos Aires. XII Congreso Internacional de Investigación y Práctica Profesional en Psicología. XXVII Jornadas de Investigación. XVI Encuentro de Investigadores en Psicología del MERCOSUR. II Encuentro de Investigación de Terapia Ocupacional. II Encuentro de Musicoterapia. Facultad de Psicología - Universidad de Buenos Aires, Buenos Aires.*

Dirección estable: <https://www.aacademica.org/000-007/728>

ARK: <https://n2t.net/ark:/13683/etdS/vbu>

CALIDAD DE VIDA DE PACIENTES CON TRASTORNOS GASTROINTESTINALES FUNCIONALES DE CIUDAD DE BUENOS AIRES

Celleri, Milagros; Ortega, Ivana; Donatti, Sofía; Pérez Vasaro, Daniela Cecilia; Garay, Cristian Javier
Universidad de Buenos Aires. Facultad de Psicología. Buenos Aires, Argentina.

RESUMEN

Los Trastornos Gastrointestinales Funcionales (TGF) incluyen un grupo heterogéneo de enfermedades crónicas relevantes para la salud pública por su frecuencia, el nivel de disfuncionalidad que generan y la significativa carga económica y social que producen. Se caracterizan por la presencia de diferentes combinaciones de síntomas gastrointestinales en ausencia de un sustrato orgánico evidente, siendo el más prevalente el Síndrome de Intestino Irritable. Actualmente, los TGF se conceptualizan desde un modelo biopsicosocial que involucra factores de la historia personal, factores psicosociales y fisiológicos. Es por ello que resulta pertinente considerar los mecanismos psicológicos implicados así como las consecuencias en el nivel de calidad de vida (CV) y funcionalidad diaria que acarrean. No obstante, son escasos los estudios que evalúan el impacto que los TGF tienen en la calidad de vida de quienes los presentan. Este estudio se propone explorar los niveles de CV en los pacientes con diagnóstico de TGF en el área de Neurogastroenterología del Hospital de Clínicas San Martín, Universidad de Buenos Aires, Argentina. Se describe a la población local, lo que permitirá diseñar intervenciones interdisciplinarias para reducir la sintomatología y mejorar la CV en general, reduciendo así la carga socioeconómica que dichos trastornos representan.

Palabras clave

Calidad de vida - Trastornos funcionales - Argentina

ABSTRACT

QUALITY OF LIFE OF PATIENTS WITH FUNCTIONAL GASTROINTESTINAL DISORDERS IN THE CITY OF BUENOS AIRES, ARGENTINA
Functional Gastrointestinal Disorders (FGD) include a heterogeneous group of chronic diseases relevant to public health due to their frequency, the level of dysfunctionality they generate and the significant economic and social burden they produce. They are characterized by the presence of different combinations of gastrointestinal symptoms in the absence of an evident organic substrate, being Irritable Bowel Syndrome the most prevalent. Currently, FGDs are conceptualized from a biopsychosocial model which involves personal history, psychosocial and physiological factors. That is why it is important to consider the

psychological mechanisms involved in the syndrome as well as the consequences they have on the level of quality of life (QoL) and daily functionality. However, there are few studies evaluating the impact that FGDs have on the quality of life of people who have them. This study aims to explore the levels of QoL in patients diagnosed with FGD in the Neurogastroenterology area of ??the Hospital de Clínicas San Martín, University of Buenos Aires, Argentina. Counting with a description of the local population allows the design of interdisciplinary interventions to reduce symptoms and improve QoL in general. Consequently, the socioeconomic burden that these disorders represent can be reduced.

Keywords

Quality of life - Functional gastrointestinal disorders - Argentina

BIBLIOGRAFÍA

- Aziz, I., Palsson, O. S., Törnblom, H., Sperber, A. D., Whitehead, W. E., & Simrén, M. (2018). The prevalence and impact of overlapping Rome IV-diagnosed functional gastrointestinal disorders on somatization, quality of life, and healthcare utilization: a cross-sectional general population study in three countries. *American Journal of Gastroenterology*, 113(1), 86-96.
- Drossman, D. A., Creed, F. H., Olden, K. W., Svedlund, J., Toner, B. B., & Whitehead, W. E. (1999). Psychosocial aspects of the functional gastrointestinal disorders. *Gut*, 45(suppl 2), II25-II30.
- Drossman, D. A. (2016). Functional gastrointestinal disorders: history, pathophysiology, clinical features, and Rome IV. *Gastroenterology*, 150(6), 1262-1279.
- Jatuff, D., Zapata-Vega, M. I., Montenegro, R., & Mezzich, J. E. (2015). El índice multicultural de calidad de vida en Argentina: un estudio de validación.
- Koloski, N. A., Talley, N. J., & Boyce, P. M. (2000). The impact of functional gastrointestinal disorders on quality of life. *The American journal of gastroenterology*, 95(1), 67-71.
- Nyrop, K. A., Palsson, O. S., Levy, R. L., Korff, M. V., Feld, A. D., Turner, M. J., & Whitehead, W. E. (2007). Costs of health care for irritable bowel syndrome, chronic constipation, functional diarrhoea and functional abdominal pain. *Alimentary pharmacology & therapeutics*, 26(2), 237-248.

Olmos J. A., Iantorno, G., Guzmán, M. et al. (2010). Irritable bowel syndrome: prevalence, comorbidity and impact. A population based study. *Gut*, 59 (Suppl III), A361.

Talley, N. J. (2008). Functional gastrointestinal disorders as a public health problem. *Neurogastroenterology & Motility*, 20, 121-129.