

Trastorno Límite de la Personalidad y trastornos emocionales. Estudio naturalístico en el “Hospital de Clínicas José De San Martín”.

Helmich, Natalia, Giusti, Sheila Daiana y Putrino, Natalia Inés.

Cita:

Helmich, Natalia, Giusti, Sheila Daiana y Putrino, Natalia Inés (2019). *Trastorno Límite de la Personalidad y trastornos emocionales. Estudio naturalístico en el “Hospital de Clínicas José De San Martín”. XI Congreso Internacional de Investigación y Práctica Profesional en Psicología. XXVI Jornadas de Investigación. XV Encuentro de Investigadores en Psicología del MERCOSUR. I Encuentro de Investigación de Terapia Ocupacional. I Encuentro de Musicoterapia. Facultad de Psicología - Universidad de Buenos Aires, Buenos Aires.*
Dirección estable: <https://www.aacademica.org/000-111/667>

ARK: <https://n2t.net/ark:/13683/ecod/BOp>

TRASTORNO LÍMITE DE LA PERSONALIDAD Y TRASTORNOS EMOCIONALES. ESTUDIO NATURALÍSTICO EN EL “HOSPITAL DE CLÍNICAS JOSÉ DE SAN MARTÍN”

Helmich, Natalia; Giusti, Sheila Daiana; Putrino, Natalia Inés
Universidad de Buenos Aires. Argentina

RESUMEN

El objetivo de este trabajo es conocer el estilo de apego y las formas de alianza terapéutica de población con diagnóstico de trastorno de personalidad que realizan tratamiento psicológico en el Hospital de Clínicas José de San Martín. Se propone un estudio exploratorio, descriptivo, mixto, con una muestra intencional a constituirse por 60 personas adultas (de 18 a 45 años) divididas en dos grupos: uno de pacientes con diagnóstico de trastorno límite de la personalidad y otro de población clínica (que no cumplan con criterios para ningún diagnóstico del Eje II y dentro del Eje I estén en consulta por código z o tengan un diagnóstico de trastorno emocional). Se les administrará una entrevista en el cual se indagará la experiencia subjetiva de cada participante sobre: sus condiciones de vida, y sobre su relación con el Sistema de Salud. Asimismo se utilizará: Cuestionario sociodemográfico, inventario de Alianza de Trabajo - versión Paciente y Terapeuta (los mismos se tomarán en las sesiones 3, 8 y 15) Cuestionario para evaluación de resultados y evolución en psicoterapia (OQ-45), Diagnóstico psicodinámico operacionalizado cuestionario estructural (OPD-SQ) (Ehrenthal et al., 2012), inventario de Síntomas (SCL-90) y Escala de Apego Adulto (Adult Attachment Scale-AAS).

Palabras clave

Trastorno límite de la personalidad - Trastornos emocionales - Apego - Alianza Terapéutica

ABSTRACT

BORDERLINE PERSONALITY DISORDER AND EMOTIONAL DISORDERS. NATURALISTIC STUDY AT THE HOSPITAL DE CLÍNICAS “JOSÉ DE SAN MARTÍN”

The objective of this work is to know the style of attachment and the forms of therapeutic alliance of population with diagnosis of personality disorder that perform psychological treatment in the Hospital de Clínicas José de San Martín. An exploratory, descriptive, mixed study is proposed, with an intentional sample to be constituted by 60 adults (from 18 to 45 years old) divided into two groups: one of patients with a diagnosis of borderline personality disorder and another of a clinical population (who do not meet criteria for any diagnosis of Axis II and within Axis I are in consultation by code zo have a diagnosis of emotional disor-

der). An interview will be administered in which the subjective experience of each participant will be inquired about: their living conditions, and their relationship with the Health System. It will also be used: Sociodemographic Questionnaire, Work Alliance Inventory - Patient and Therapist version (these will be taken in sessions 3, 8 and 15) Questionnaire for evaluation of results and evolution in psychotherapy (OQ-45), Operationalized psychodynamic diagnosis questionnaire Structural Analysis (OPD-SQ) (Ehrenthal et al., 2012), Symptom Inventory (SCL-90) and Adult Attachment Scale-AAS.

Key words

Borderline Personality Disorder - Emotional Disorders - Attachment - Therapeutic Alliance

BIBLIOGRAFÍA

- Andrade-González, N., & Fernández-Liria, A. (2015). Spanish Adaptation of the Working Alliance Inventory (WAI). Psychometric properties of the patient and therapist forms (WAI-P and WAI-T). *Anales de Psicología/Annals of Psychology*, 31(2), 524-533.
- Casullo, M., & Pérez, M. (2008). El inventario de síntomas SCL-90-R de L. Derogatis. Adapatación UBA. Conicet.
- Collins, N.L., & Read, S.J. (1990). Adult attachment, working models, and relationship quality in dating couples. *Journal of personality and social psychology*, 58(4), 644.
- Ehrenthal, J.C., Dinger, U., Horsch, L., Komo-Lang, M., Klinkerfuß, M., Grande, T., & Schauenburg, H. (2012). Der OPD-Strukturfragebogen (OPD-SF): Erste Ergebnisse zu Reliabilität und Validität. *Psychother Psychosom Med Psychol*, 62, 25-32.
- Fonagy, P., Luyten, P., Moulton-Perkins, A., Lee, Y.W., Warren, F., Howard, S., ... & Lowyck, B. (2016). Development and validation of a self-report measure of mentalizing: The reflective functioning questionnaire. *PLoS One*, 11(7), e0158678.
- Lambert, M.J., Burlingame, G. M., Umphress, V., Hansen, N.B., Vermeersch, D.A., Clouse, G.C., & Yanchar, S.C. (1996). The reliability and validity of the Outcome Questionnaire. *Clinical Psychology & Psychotherapy: An International Journal of Theory and Practice*, 3(4), 249-258.